

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes severe eye and skin damage. Do not get in eyes or on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes and under eyelids with plenty of water for at least 15 minutes. Call a physician immediately.

IF ON SKIN: Remove contaminated clothing and launder before reuse. Flush skin with plenty of water for at least 15 minutes.

IF SWALLOWED: Give person milk, egg whites or gelatin solution, or if these are not available drink large amounts of water. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirement of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

CD DISINFECTANT CLEANER

FOR HOSPITAL AND INSTITUTIONAL USE

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)dimethyl
benzyl ammonium chloride2.25%
n-Alkyl (68% C₁₂, 32%C₁₄)dimethyl ethylenbenzyl
ammonium chloride 2.25%

INERT INGREDIENTS:95.50%

TOTAL:100.00%

EPA REG. NO. 10088-29 –

EPA EST. NO. 10088-WI-1

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panel for additional precautions and first aid instructions.

Sold By:

This cleaner, disinfectant and sanitizer is designed for institutional use, such as HOSPITALS, NURSING HOMES and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. It is effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa PRD-10 (substantiated by the AOAC Use Dilution Confirmation Test). It is also effective against pathogenic fungi Trichophyton interdigitale.

When used on environmental hard surfaces at 2 ounces per gallon of water, this product is also effective against:

Influenza A2 (Flu virus)
Herpes Simplex (Cold sores, fever blisters)
Adenovirus type 2 (Acute respiratory disease)
Vaccinia (Smallpox virus)

TO DISINFECT: For floors, walls, sink tops, garbage pails, telephones, restrooms, bed pans and operating rooms and other inanimate hard surfaces, use 2 ounces per gallon of water. Apply with a cloth or mop to walls, floor and other hard surfaces.

TO SANITIZE FOOD PROCESSING EQUIPMENT, FOOD CONTACT SURFACES AND UTENSILS: Scrape, flush or pre-soak to remove gross food particles and soil and wash thoroughly with detergent or compatible cleaner, followed with a potable water rinse. Spray, flood or immerse to wet all surfaces with a solution containing 2.8 ounces per 5 gallons of water (200 ppm of active quaternary). A contact time of at least 1 minute is required for sanitization, then drain the sanitizing solution thoroughly and allow to air dry. No potable water rinse is required. Prepare a fresh sanitizing solution daily or more often if the solution becomes diluted or soiled.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in a dry place no lower in temperature than 50°F. or higher than 120°F.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or, if allow by local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

16592006

NET CONTENTS:
GALLONS